




# 18505 solar battery cabinet lithium battery pack specifications





## Overview

---

Dimensions: 500mm x 450mm x 700mm. Electrical Specifications: Rated voltage 220V AC, maximum current capacity 1000A, frequency 50Hz. Protection Rating: IP65 rating. Operating Temperature Range: -40°C to +60°C. Safety Features: Internal safety isolation, overcurrent protection. Our lithium-ion battery delivers best-in-class energy density (> 620 Wh/kg) among chemical batteries. It has an open-circuit voltage  $\geq 3$ . It uses Lithium-Thionyl Chloride chemistry, making it distinguished by its exceptional energy density and stable voltage output. 6V. Complete our brief RFQ and click submit to receive your battery pack quote. © 2022 - Zeus Battery Products | All rights reserved. Individual pricing for large scale projects and wholesale demands is available. 6V 4000mAh LSP battery is designed for wireless gas meter communication.



## 18505 solar battery cabinet lithium battery pack specifications



### Solar Lithium Battery Storage Cabinet

Electrical Specifications: Rated voltage 220V AC, maximum current capacity 1000A, frequency 50Hz. Protection Rating: IP65 rating. Operating Temperature Range: -40°C to +60°C. Safety Features: Internal ...

### ER18505

Complete our brief RFQ and click submit to receive your battery pack quote. © 2022 - Zeus Battery Products , All rights reserved.



### SPECIFICATIONS FOR LITHIUM ION BATTERY CABINETS

18505 Lithium Battery Pack Specifications ER 18505 battery 3.6V 4000mAh lithium battery has excellent performance, a low self-discharge rate, and is easy to use. Individual pricing for large scale projects and ...

### ER18505-Li-SOCI2 Batteries-EVE Energy

Custom processing and sample design available upon request Customize battery cells with series/parallel configurations,solder tabs,or plug leads



### **ER18505 HPC1520 Battery Pack for IOT/Smart Meters**

Home Products Custom Battery Packs, Lithium Battery Packs ER18505 with HPC1520/SPC1520



### **18505 battery for Electronic Appliances**

Thus, reliable 18505 battery on Alibaba bring better durability to any appliance that needs better power output. Different models have different specifications to match the supplier's recommendations.



### **Uniross UER18505 4100mAh LiSOC12 battery datasheet**

Our lithium-ion battery delivers best-in-class energy density ( $> 620 \text{ Wh/kg}$ ) among chemical batteries. It has an open-circuit voltage  $\geq 3.65 \text{ V}$ , with an operating voltage range of  $3.3\text{-}3.6 \text{ V}$ .



### [EVE ER 18505 Battery 3.6V 4000mAh LSP](#)



## Battery for Gas Meter Wireless

ER 18505 battery 3.6V 4000mAh lithium battery has excellent performance, a low self-discharge rate, and is easy to use. Individual pricing for large scale projects and wholesale demands is available. The ER 18505 ...



## 3.6V ER18505 16000mAh 1s4p LiSoCl2 Battery Pack , Pkcell

This "A" size cylindrical battery delivers a nominal voltage of 3.6V and boasts an impressively low self-discharge rate, typically less than 1% per year. It has a wide operating temperature range of -55°C to +85°C and a ...

## Eemb Battery Specification: Lithium Thionyl Chloride Battery

The document is a 9-page product specification from EEMB Co., Ltd for their lithium thionyl chloride battery model ER18505. It provides details on the battery's [1] scope, [2] features and applications, and [3] basic ...





## Contact Us

---

For catalog requests, pricing, or partnerships, please visit:

<https://www.firmaskrzypek.pl>

Phone: +48 22 426 71 90

Email: [info@firmaskrzypek.pl](mailto:info@firmaskrzypek.pl)

Scan the QR code to access our WhatsApp.

